----- POPULATION ESTIMATES ------ CANCER INCIDENCE ------ LOCAL PUBLIC HEALTH ------

1	POPULATION	ESITMATES)	CANCER INCIDENC	<u>r</u>		PATITI	Per
	Total 1999 Population Est 19,620 Percent Female 51.1		(Cancer incidence is for 1998)		Activities Reported	Number		
10100	TIC PCINATE		31.1	Primary Site	Number	Public Health Nursing		
Populat	ion per squ	are mile	55		1,122.202	Total clients	458	234
	in state	act c mille	30	 Breast	17	Total visits	686	350
(1=highest population density,		Cervical	2	Visits: Reason for	000	330		
72=lowest population density.)				Colorectal	17	Gen hlth promotion	272	139
/2=1	.owest popul	lation dens	sity.)			Infant/child hlth	4	
3	Homo la	36-1-	mata 1	Trachea, Bronchus, Lung	10	Infanticus s manaitia		
Age	Female	<u>Male</u>	Total	Prostate	19	Infectious & parasitic		26
0-14	1,760	1,840	3,600	Other sites Total	55	Circulatory	11	
15-19	790	780	1,560	Total	123	Prenatar	20	
20-24	560	560	1,130			Postpartum	65	33
25-29	480	470	960	LONG-TERM CARE]			
30-34	530	530	1,060			WIC Participants	474	242
35-39	710	750	1,460	Community Options and MA	Waiver			
40-44	770	820	1,590	Programs		Clinic Visits	7,287	
45-54	1,260	1,370	2,630	# Clients	Costs	Immunization	4,426	2,257
55-64	980	930	1,910	COP 22	\$97,381	Immunization Blood pressure	1,026	523
65-74	940	830	1 770	MA Waivers *	·	<u>-</u>	ŕ	
75-84	940 790	830 560	1,770	ZTD17 2	\$139,211	Environmental Contacts		
85+	440	170	610	CTP1B 36	\$724.802	Env hazards	147	75
Total	440 10,020	9 600	19,620	CID2 3	\$40 542	Public health nuisance		63
iocai	10,020	J,000	17,020	CIPIA 36 CIP2 3 COP-W 40	¢189 394	rubiic meaith huisance	125	03
Age	Female	Male	Total	COI W 10	\$0			
0-17	2,230		4,520	CSLA . Brain Inj .	\$0			
18-44	3,370	2 460	C 010	Total COP/Wvrs 90	\$1,191,331			
	3,370	3,400	4,540	IOCAL COP/WVIS 90	\$1,191,331			
45-64	2,240	2,300	4,540	445 401 5 1	'			
	2,170	1,560	3,720	\$45,491 of the above		Health Education	2.0	1.0
Total	10,020	9,600	19,620	were paid as local mate		Community sessions		
				using COP funds. This		Community attendance		489
	estimates			not included in above COP costs.		School sessions	12	6
	ed in the 19					School attendance	205	105
	statistics		ıpdated	* Waiver costs reported h				
after t	he 2000 Cer	nsus.)		include federal funding	1.	Staffing - FTEs		
						Total staff Administrators	7	3.5
	EMPLO	YMENT				Administrators	1	0.5
Average	wage for jo	bs covered	i e	Home Health Agencies	1	Public health nurses	3	1.4
	loyment Com			Patients	765	Public health nurses Public health aides	2	1.0
				Patients per 10,000 pop.		Environmental specialist		
Note: Average wage is based on place of work, not place of residence.				racience per ro,000 pop.	570	Livilonmental Specialist	•	•
	. WOLIZ, IIOC	PIACE OF I	CDIUCIICE.	Nursing Homes	3			
Labor Fo	rce Estimat	ed Annii	al Amerene		240	LOCAL PUBLIC HEALT	דרוואוים טין	NC
	n labor for	CO WITING	10,190	Licensed beds Occupancy rate Residents on 12/31/98	84.6%	(funding data not a		
CTATTIG	m ranot rop	.ce	10,190	Dogidonts on 12/21/00		(Iunumy data not a	avartabl	/
Numbe	er employed er unemploye		9,111	Rebidenes on iz/51/50				
Numbe	er unemproye	ea	413	Residents aged 65 or old				
Unem	ipioyment ra	ate	4.⊥%	per 1,000 population	52			

TOTAL LIVE BIRTHS 214		Birth (Order	Births	Percent	Marital	Status		
		First		74	35	of Moth	er	Births	Percent
	10.9	Second		80	37	Married		181	85
General Fertility Rate 55.6		Third		33	15	Not mar	ried	33	15
		Fourth	or higher	27	13	Unknown		0	0
rted		Unknow	n	0	0				
	6 . %					Educati	on		
		First	Prenatal			of Moth	er	Births	Percent
Births	Percent	Visit		Births	Percent	Element	ary or less	s 27	13
		1st tr	imester	167	78	Some hi	gh school	19	9
4	2			28	13	High sc	hool	66	31
3		3rd tr	imester	18	8	Some co	llege	55	26
178	83	No vis	its	1	<.5	College	graduate	47	22
19	9			0	0			0	0
		0111110		· ·	· ·	0111110111		· ·	· ·
		Number of Prenatal			Smoking	Status			
· ·	· ·				Percent			Births	Percen
Births	Percent			1	<.5			32	15
				11	5	Nonsmok	er	182	85
16	7.5	E O .		40	_				0
197	92 1	10-12	visits	83		0111110 1111		· ·	· ·
1),	0.0	13+	visits						
O	0.0								
		(under 2,500 gm)		1st Trimester		2nd Trimester		Other/Unknow	
	ercent	Births	Percent						-
				Births	Percent			Births	Percen
214	100		7.9	Births 167		Births 28	Percent 13		Percen
0	100			Births				Births	Percen
0 0	100			Births 167	78	28	13	Births	Percen
0	100			Births 167	78	28	13	Births	Percent 9
0 0	100	17	7.9	Births 167	78	28	13	Births	Percen
0 0 0	100 0 0 0	17	7.9 h Weight	167	78 Trimest	28	13 st Prenata	Births 19	Percent 9
0 0 0	100 0 0 0	17	7.9 h Weight ,500 gm)	Births 167	78 Trimest imester	28 er of Fir 2nd Tr	13 st Prenata imester	Births 19	Percen 9
0 0 0 Fe Births	100 0 0 0	17	7.9 h Weight	Births 167	78 Trimest	28 er of Fir 2nd Tr	13 st Prenata imester	Births 19	Percent 9
0 0 0 Fe <u>Births</u>	100 0 0 0 ertility Rate	17	7.9 h Weight ,500 gm)	Births 167	78 Trimest imester Percent	28 er of Fir 2nd Tr	13 st Prenata imester Percent	Births 19	Percent 9
0 0 0 Fe Births 0 4	100 0 0 0 ertility Rate 	Low Birt (under 2 Births:	7.9 h Weight ,500 gm) Percent	Births 167	78 Trimest imester Percent	28 er of Fir 2nd Tr Births	13 st Prenata imester Percent	Births 19 ! ! Visit Other/Births	Percent 9
0 0 0 Fe Births 0 4 10	100 0 0 0 ertility Rate 	Low Birt (under 2 Births:	7.9 h Weight ,500 gm) Percent	lst Tr: Births	78 Trimest imester Percent 60	28	13 st Prenata imester Percent 10	Births 19 l Visit Other, Births . * 3	Percent 9
0 0 0 Fe Births 0 4 10 53	100 0 0 0 ertility Rate 	Low Birt (under 2 Births:	7.9 h Weight ,500 gm) Percent	lst Tr Births 	78 Trimest imester Percent 60 . 68	28	13 st Prenata imester Percent 10 21	Births 19 l Visit Other/Births . * 3 6	Percent 9
0 0 0 Fe Births 0 4 10 53 64	100 0 0 0 ertility Rate 	Low Birti (under 2 Births: * 1 2 6	7.9 h Weight ,500 gm) Percent	167 	78 Trimest imester Percent 60 . 68 . 83	28 	13 st Prenata: imester Percent 10 21 14	Births 19 l Visit Other/Births . * 3 6 2	Percent 9 /Unknown Percent
0 0 0 Fe Births 0 4 10 53 64 54	100 0 0 0 ertility Rate 	Low Birt (under 2 Births:	7.9 h Weight ,500 gm) Percent 10.0 3.8 9.4 7.4	167 	78 60 . 68 . 83 . 85	28 	13 st Prenata imester Percent 10 21 14 6	Births 19 l Visit Other/Births . * 3 6	Percent 9
0 0 0 Fe Births 0 4 10 53 64 54 23	100 0 0 0 ertility Rate 	17	7.9 	### 167 1st Tr: Births	78 60 . 68 . 83 . 85 . 91	28	13 st Prenata imester Percent 10 21 14 6 9	Births 19 l Visit Other/Births . * 3 6 2 5 .	Percent 9
0 0 0 Fe Births 0 4 10 53 64 54 23 6	100 0 0 0 0 ertility Rate 94 132 102 32	17 	7.9 	167 	78	28 er of Fir 2nd Tr Births * 1 11 9 3 2 1	13 	Births 19 l Visit Other/Births . * 3 6 2	Percent 9 /Unknown Percent
0 0 0 Fe Births 0 4 10 53 64 54 23	100 0 0 0 ertility Rate 	17 	7.9 	### 167 1st Tr: Births	78 60 . 68 . 83 . 85 . 91	28	13 st Prenata imester Percent 10 21 14 6 9	Births 19 l Visit Other/Births . * 3 6 2 5 .	Percen 9 CUnknown Percen
	Births 4 3 178 19 10 0 Births 1 16 197 0	## 55.6 ### ### ############################	10.9 Second	10.9 Second	10.9 Second 80	10.9 Second 80 37	10.9 Second 80 37 Married 33 15 Not mar Fourth or higher 27 13 Unknown 10 0 0 0 0 0 0 0 0	10.9 Second 80 37 Married	10.9 Second 80 37 Married 181

377

306

Children in Grades K-12 by

Compliant 4,198
Non-compliant 38
Percent Compliant 99.1

Compliance Level

Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus REPORTED* CASES OF SELECTED DISEASES fetal deaths. Rates are not calculated for fewer than 20 deaths. Disease Number TOTAL DEATHS 241 Selected Crude Death Rate 1,228 Underlying Cause Deaths Rate Campylobacter Enteritis Heart Disease (total) Giardiasis <5 Ischemic heart disease . Hepatitis Type A 0 Hepatitis Type B**
Hepatitis NANB/C***
Legionnaire's Age Deaths Rate <5 Cancer (total) 1-4 . . Trachea/Bronchus/Lung . . . Legionnaire's Colorectal 6 . Female Breast 4 .* 5-14 0 [1 Lyme <5 15-19 1 20-34 1 . 12 . Cerebrovascular Disease 22 112 Measles
Meningitis, Aseptic <5
Meningitis, Bacterial <5 Measles o l 35-54 Lower Resp. Disease . 55-64 65-74 Pneumonia & Influenza 8
Injuries 8 <5 Mumps Pertussis Mumps 0 Injuries Motor vehicle 3
Diabetes 6 75-84 0 Salmonellosis 85+ <5 Shigellosis Infectious & Parasitic 5 0 Tuberculosis Suicide 0 Infant Mortality Deaths Rate * 1999 provisional data * Rate for female breast cancer based ** Includes all positive HBsAg Total Infant . . . on female population. test results Neonatal Postneonatal *** Unavailable at time of printing ALCOHOL AND DRUG ABUSE AS UNDERLYING Unknown OR CONTRIBUTING CAUSE OF DEATH Sexually Transmitted Disease Chlamydia Trachomatis 14 Race of Mother Alcohol Alconol .
Other Drugs 3
Both Mentioned . Genital Herpes White 6 Black Other Unknown Gonorrhea Nongonococcal Cervicitis . Nongonococcal Urethritis 0 ----- MOTOR VEHICLE CRASHES -----Syphilis Birth Weight <1,500 gm . 1,500-2,499 gm . ----- IMMUNIZATIONS -----

2,500+ gm .

Total Perinatal 1 Neonatal . Fetal 1

Deaths

Rate

Unknown

Perinatal Mortality Note: These data are based on location of crash, not on residence.

Persons Injured	
167	1
13	0
12	0
25	0
5	0
5	0
2	0
	167 13 12 25 5 5

Per Average Charge Per Average Charge 1,000 Stay 1,000 Stay Average Per DISEASE / DISEASE / Average Per AGE GROUP Number Pop (Days) Charge Number Pop (Days) Charge Capita Capita AGE GROUP Injury-Related: All Alcohol-Related Total 183 9.3 4.9 \$12,213 Total \$114 44 2.2 4.1 \$3,163 \$7 14 . 36 5.3 <18 18-44 26 3.8 2.3 \$1,469 \$6 7. 3.7 \$10,467 45-64 18-44 \$55 35 7.7 4.4 \$10,960 \$84 Pneumonia and Influenza 45-64 98 26.4 5.2 \$12,811 Total 97 65+ \$338 4.9 4.8 \$6,858 \$34 13 Injury: Hip Fracture <18 Total 29 1.5 4.7 \$12,512 4 \$18 45-64 66 17.7 65+ 27 7.3 4.7 \$12,395 \$90 65+ 4.9 \$0 Cerebrovascular Disease Injury: Poisonings 66 3.4 4.3 \$9,201 Total 5 Total \$31 18-44 3 45-64 13 . 13 . . . 52 14.0 3.8 \$8,076 65+ \$113 Psychiatric Chronic Obstructive Pulmonary Disease Total 44 2.2 4.1 \$6,487 116 5.9 10.2 \$7,344 Total \$43 \$15 34 7.5 12.4 \$8,090 <18 <18 5. \$61 41 6.0 7.0 \$5,359 18-44 3 18-44 \$32 45-64 23 5.1 12.2 \$7,788 65+ 18 \$39 45-64 9 65+ 27 7.3 3.9 \$6,791 \$49 Drug-Related Coronary Heart Disease Total Total 126 6.4 3.5 \$12,391 \$80 18-44 1 45-64 38 8.4 3.1 \$14,313 65+ 76 20.4 3.9 \$12,104 3.1 \$14,313 \$120 \$247 Total Hospitalizations Total 2,169 110.5 4.2 \$8,062 \$891 328 72.5 3.4 \$4,142 Malignant Neoplasms (Cancers): All <18 \$300 18-44 Total 94 4.8 6.0 \$14,295 494 72.3 3.2 \$5,622 \$406 16--1 45-64 -

 18-44
 2
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .</td 370 81.4 4.7 \$10,295 \$838 977 262.7 4.8 \$9,766 \$2,565 \$98 65+ \$236 Neoplasms: Female Breast (rates for female population) ----- PREVENTABLE HOSPITALIZATIONS* ------Total 4

 306
 15.6
 4.0
 \$6,135
 \$96

 <18</td>
 31
 6.8
 3.4
 \$3,979
 \$27

 18-44
 27
 4.0
 3.1
 \$5,837
 \$23

 45-64
 38
 8.4
 3.3
 \$4,839
 \$40

 65+
 210
 56.5
 4.3
 \$6,726
 \$200

 306 15.6 4.0 \$6,135 Total Neoplasms: Colo-rectal Total 23 1.2 7.3 \$13,933 \$16 19 . 65+ Neoplasms: Lung 11 . * Hospitalizations for conditions where timely and effective Total ambulatory care can reduce the likelihood of hospitalization. Diabetes The definition of preventable hospitalizations in 1999 Total 24 1.2 4.5 \$8,586 \$11 is consistent with the 1997 definition. 65+ 9 Please refer to the note at the bottom of this page in the 1997 report for an explanation of the change made between 1996 and 1997.